


## Naphthol Red F2RK F3RK F5RK

**Color Type** Mono Azo

**Color Index No.** P.R. 170

**CAS NO.** 2786-76-7

**Structure:**



**Description :**

- Recommend for Paint, Solvent based & Water based ink, Textile printing and Plastic(PP, PE and etc.)

**Physical Properties :**

Items	Data
Density (g/cm <sup>3</sup> )	1.25-1.36
Specific Surface Area ( m <sup>2</sup> /g )	22-26
Oil Absorption (g/100g)	59-81
PH Value	6
Bulk Density (lb/gal)	10.4-11.3
Particle size (μm)	0.18-0.22

Fastness Properties	Data
Heat Resistance ( °C )	200
Light Resistance ( Full Shade, 1~8 )	6-7
Weather Resistance (1~5)	4
Acid Resistance (1~5)	4
Alkali Resistance (1~5)	4
Soap Resistance (1~5)	4

**Applications :**

Inks	Offset Ink	●
	UV Ink	◎
	Water borne	◎
Paints	Car Refinish	●
	Wood painting	◎
	Textile printing	●
	Decorative	◎
	Powder Coating	◎
Plastic	PP	◎
	Polyacrylonitrile	◎
	Viscose fiber	◎

Remark: ●High Recommendation;

◎Recommendation; - Limit Suitability

**Storage conditions :**

Should be sealed for avoiding light and moisture.

**Package :**

25KG/ Kraft Bag,500kgs per Pallet

\*Product specific and application information are based upon our current knowledge. They are non-binding and cannot be taken as guarantee. Users must establish the suitability of individual products. We do not accept any liability relating to the use of our products in particular applications.

**Hangzhou Fancheng Chemical Co.,Ltd**

Add: No. 37 Jinyi Road, Xiaoshan, Hangzhou, China

Tel: +86-571-83531793

<http://www.finelandpigment.com/>