


Pigment Yellow 154

Color Type Benzimidazolone

Color Index No. P.Y. 154

CAS NO. 68134-22-5

Structure:



Description :

- Good light fastness, heat resistance, solvent fastness, weather resistance and migration fastness. One of most light fastness and best weather resistance organic yellow pigments. More reddish than PY151.
- Recommend for outdoor plastic, 210°C in HDPE. Recommend for paints and coating applications, good in automobile paints, good light fastness in printing inks.

Physical Properties :

Items	Data
Density (g/cm ³)	1.57
Specific Surface Area (m ² /g)	18
Oil Absorption (g/100g)	40-70
PH Value	5-8
Bulk Density (lb/gal)	13.3

Fastness Properties	Data
Heat Resistance (°C)	160
Light Resistance (Full Shade, 1~8)	8
Weather Resistance (1~5)	5
Acid Resistance (1~5)	5
Alkali Resistance (1~5)	5

Applications :

Plastic	PVC	◎
	PE	◎
	PP	◎
	ABS	-
Inks	Offset Ink	◎
	Gravure Ink	◎
	UV Ink	◎
	Solvent borne	◎
	Water borne	◎
Paints	Automotive OEM	●
	Car Refinish	●
	Industrial	●
	Decorative	●
	Powder Coating	●

Remark: ●High Recommendation;

◎Recommendation

- Limit Suitability

Storage conditions :

Should be sealed for avoiding light and moisture.

Package :

25KG/ Kraft Bag

*Product specific and application information are based upon our current knowledge. They are non-binding and cannot be taken as guarantee. Users must establish the suitability of individual products. We do not accept any liability relating to the use of our products in particular applications.

Hangzhou Fancheng Chemical Co.,Ltd

Add: No. 37 Jinyi Road, Xiaoshan, Hangzhou, China

Tel: +86-571-83531793

<http://www.finelandpigment.com/>