


Pigment Violet 1619B

Color Type Quinacridone

Color Index No. P.V.19

CAS NO. 1047-16-1

Structural



Description

- Pigment Violet 1619B is Bluish purple, Transparent.
- It is used for coloring plastics and has excellent heat resistance in polyolefins even at low concentrations. Has good dispersion. Suitable for polyolefin film, PP, PA fiber coloring. Suitable for rubber and artificial leather.
- Commonly used for mixing with inorganic pigments.

Physical Properties

Items	Data
Density (g/cm ³)	1.4-1.6
Specific Surface Area (m ² /g)	70
Average particle size (nm)	105
Warping in HDPE	low



Fastness Properties	Data
Heat Resistance (HDPE-5min, °C)	300
Fastness to weathering (Reduction)	5
Fastness to bleeding (Full shade)	5
Acid Resistance	5
Alkali Resistance	5

Applications

Plastic	HDPE	●	PS/SAN	●
	LDPE	●	ABS	●
	PP	●	PC	●
	PVC-U	●	PBT	●
	PVC-P	●	PA	●
Fiber	PP	●	PA	●
	PET	○	PAN	○

● recommended ○ limited recommended -not recommended

Package

10KG/Compound Bag

*Product specific and application information are based upon our current knowledge. They are non-binding and cannot be taken as guarantee. Users must establish the suitability of individual products. We do not accept any liability relating to the use of our products in particular applications.