Technical Data Sheet



Pigment Red 53:1

General Information

Color Index	Pigment Red 53:1 (C.I. 15585:1)
Product Code	S6531B
CAS NO.	5160-02-1
EC No.	225-935-3
Chemical Formula	C ₁₇ H ₁₂ CIN ₂ O ₄ S1/2Ba

Physical Properties

Density (g/cm³)	1.65-2.11
Specific Surface Area(m ² /g)	10-110
Oil Absorption (g/100g)	40-78
PH Value	6.5-8.0
Bulk Density (lb/gal)	13.7-17.5
Total impurities(ppm)	≦600

Fastness Properties

Heat Resistance (°C)	180-
	200
Light Resistance (Full Shade, 1-8)	3-4
Light (Reduced tinting, 1-8)	2-3
Weather Resistance (1-5)	2-3
Acid Resistance (1-5)	3

Alkali Resistance (1-5):	3
Bleeding Resistance(1-5)	3
Ethyl Acetate (1-5)	3
Ethanol (1-5)	3
MEK (1-5)	3

Application & Performance

Recommended for solvent based ink(NC, PA, PU, etc), bluish shade, good gloss, low viscosity.

Note

*Product specific and application information are based upon our current knowledge. They are non-binding and cannot be taken as guarantee. Users must establish the suitability of individual products. We do not accept any liability relating to the use of our products in particular applications.

Date of issue: Sep. 1^{st} , 2024

TDS Version: 2.1

Tel: +86-571-83531793 Web: www.finelandchem.com