



FINELAND CHEM  
泛成化工

# Technical Data Sheet

## Pigment Blue 15:1

### General Information

Color Index	Pigment Blue 15:1 (C.I. 74160)
Product Code	DuraPlast®3651H-2
CAS NO.	12239-87-1
EC No.	205-685-1
Chemical Formula	<chem>C32H16CuN8/C32H15ClCuN8</chem>

### Physical Properties

Density (g/cm <sup>3</sup> )	1.55-1.65
Specific Surface Area(m <sup>2</sup> /g)	33-63
Oil Absorption (g/100g)	35-45
PH Value	6-8
Bulk Density (lb/gal)	12.4-14.1
Total impurities(ppm)	≤600

### Fastness Properties

Heat Resistance (°C)	300	Alkali Resistance (1-5)	5
Light Resistance (Full Shade, 1-8)	7-8	Migration Resistance(1-5)	4-5
Light (Reduced tinting, 1-8)	7	Ethyl Acetate (1-5)	5
Weather Resistance (1-5)	5	Ethanol (1-5)	5
Acid Resistance (1-5)	5	MEK (1-5)	5

### Application & Performance

Recommended for Plastic, PO, PVC (PVC & PVC Leather cloth), EVA, ABS, PS, Spun Fiber-PP, potential use in Spun Fiber-Nylon.

### Note

Fineland Chem offers innovative pigment technologies designed for long-lasting performance and consistent quality in industrial use. Product data is based on current knowledge and for reference only. Users should verify suitability; no liability is assumed for specific applications.

Date of issue: Sep. 1<sup>st</sup>, 2024

TDS Version: 2.1

Hangzhou Fancheng Chemical Co.,Ltd.

Add: NO.776, JianSheYi Road, XiaoShan, HangZhou, ZheJiang, China.

Tel: +86-571-83531793

Web: [www.finelandchem.com](http://www.finelandchem.com)

Fineland Chem Co., Ltd.

Add: Room 09 27/F, Ho King Commercial Centre, 2-16 Fa Yuen Street, Mongkog, KI, HK.