Technical Data Sheet



Pigment Red 48:2

General Information

Color Index	Pigment Red 48:2 (C.I. 15865:2)		
Product Code	BBC		
CAS NO.	7023-61-2		
EC No.	230-303-5		
Chemical Formula	$C_{18}H_{11}CLN_2O_6SCa$		

Physical Properties

Density (g/cm ³)	1.5-1.8
Specific Surface Area(m ² /g)	53-100
Oil Absorption (g/100g)	35-67
PH Value	6-9
Bulk Density (lb/gal)	12.5-15.5
Total impurities(ppm)	≦600

Fastness Properties

Heat Resistance (°C)	200-	Alkali Resistance (1-5)	3
	220	Migration Resistance (1-5)	4
Light Resistance (Full Shade, 1-8)	5-6	Ethyl Acetate (1-5)	4
Light (Reduced tinting, 1-8)	4-5	Ethanol (1-5)	4
Weather Resistance (1-5)	3-4	MEK (1-5)	3
Acid Resistance (1-5)	4-5		

Application & Performance

Cheap grade. It's mainly used for PE, PVC. But not recommended for rubbers.

Note

*Product specific and application information are based upon our current knowledge. They are non-binding and cannot be taken as guarantee. Users must establish the suitability of individual products. We do not accept any liability relating to the use of our products in particular applications.

> Date of issue: Sep., 1st 2024 TDS Version: 2.1

Hangzhou Fancheng Chemical Co.,Ltd. Add: NO.776, JianSheYi Road, XiaoShan, HangZhou, ZheJiang, China. Tel: +86-571-83531793 Web: www.finelandchem.com **Fineland Chem Co., Ltd.** Add: Room 09 27/F, Ho King Commercial Centre, 2-16 Fa Yuen Street, Mongkog, Kl, HK