# **Technical Data Sheet**



# **Pigment Yellow 184**

#### **General Information**

Color Index	Pigment Yellow 184 (C.I.771740)
Product Code	6184
CAS NO.	14059-33-7
EC No.	237-898-0
Chemical Formula	1

#### **Physical Properties**

Density (g/cm <sup>3</sup> )	2-2.25
Specific Surface Area(m <sup>2</sup> /g)	8-15
Oil Absorption (g/100g)	15-30
PH Value	6-7
Bulk Density (lb/gal)	15-20
Total impurities(ppm)	≦600

### **Fastness Properties**

Heat Resistance (°C)	250-	Alkali Resistance (1-5)	5
	300	Migration Resistance(1-5)	5
Light Resistance (Full Shade, 1-8)	7-8	Ethyl Acetate (1-5)	5
Light (Reduced tinting, 1-8)	6-7	Ethanol (1-5)	5
Weather Resistance (1-5)	5	MEK (1-5)	5
Acid Resistance (1-5)	5		

## **Application & Performance**

Recommended for high-temperature plastics (polyolefins and engineering plastics), industrial coatings and powder coatings, also suitable for automotive coatings, architectural coatings and high performance inks.

#### Note

\*Product specific and application information are based upon our current knowledge. They are non-binding and cannot be taken as guarantee. Users must establish the suitability of individual products. We do not accept any liability relating to the use of our products in particular applications.

> Date of issue: Sep. 1<sup>st</sup> , 2024 TDS Version: 2.1

Hangzhou Fancheng Chemical Co.,Ltd. Add: NO.776, JianSheYi Road, XiaoShan, HangZhou, ZheJiang, China. Tel: +86-571-83531793 Web: www.finelandchem.com

Fineland Chem Co., Ltd. Add: Room 09 27/F, Ho King Commercial Centre, 2-16 Fa Yuen Street, Mongkog, KI, HK.